

COVID-19 Personal Health & Readiness (Self-Check)

BEFORE YOU ARRIVE AT WORK, COMPLETE THIS SELF-CHECK



If you have been exposed to a person with COVID-19, it may take up to 14 days to know if you will get sick. It is important to check your health two times each day for 14 days after exposure. Follow the steps below to check and record your health.

Do health checks every morning and every night:



- Take your temperature and/or that of family members who have been in proximity to you and cannot do so themselves.
- In addition to fever, be alert for any other symptoms of COVID-19, including cough or difficulty breathing.

If you have fever (fever is 100.4°F/38°C or higher), cough, or trouble breathing:

1. Do not go out in public.
2. Seek medical advice – call ahead before you go to a doctor's office or emergency room. Tell them about your recent contact with any sick persons, your symptoms, and guidance received from the health department.
3. Avoid contact with others.
4. Do not travel while sick.
5. Cover your mouth and nose with a tissue or your sleeve (not your hands) when coughing or sneezing.
6. Wash hands often with soap and water for at least 20 seconds to avoid spreading the virus to others.
7. Wash your hands with soap and water immediately after coughing, sneezing, or blowing your nose. If soap and water are not readily available,



you can use an alcohol-based hand sanitizer that contains 60%-95% alcohol. Always wash hands with soap and water if hands are visibly dirty.

Before you take your temperature:

Wait 30 minutes after eating, drinking, or exercising.



Wait at least 6 hours after taking medicines that can lower your temperature, like:

- Acetaminophen, also called paracetamol
- Ibuprofen
- Aspirin






How to take your temperature:



1. Turn the thermometer on by pressing the button near the screen.



2. Hold the tip of the thermometer under your tongue until it beeps. Do not bite the thermometer.



3. Read your temperature on the screen. If your temperature is 100.4°F/38°C or higher, you have a fever.



4. Write your temperature in the 14-Day Symptom and Temperature Log in this booklet.



5. Clean your thermometer with soap and water and dry it well.

PLEASE NOTE: For infants and children younger than 4 years old, use an age-appropriate thermometer such as an ear thermometer. If you do not have one, use a regular thermometer by placing it under the child's arm in the center of the armpit. For the armpit method, if the child's temperature is 99.4°F/37.4°C or higher, they have a fever. Tell the public health worker that you are taking the child's temperature this way.

Content source: Centers for Disease Control and Prevention (CDC) COVID-19 Guidance Check and Record Everyday (CARE)